


















			
COLLECTION	REFERENCE	UNE-EN ISO 10545-3	UNE-EN ISO 10545-4	UNE-EN ISO 10545-5	UNE-EN ISO 10545-9				NORMA DIN 51 - 130	NORMA ASTM-C1028-96 ASTM-C1028-96 FD FW	UNE-EN 13501-1	
3,5 mm	NATURALE	New Calcatta	< 0,1%	>90N/MM2*	0.8	RESIST	5	UA UA ULA	≤175 MM3	R-9	>0.6 >0.6	A2-s1, d0
	METALLI	Marron-Iron-Corten	< 0,1%	>90N/MM2*	0.8	RESIST	5	UA UA ULA	≤175 MM3	R-9	>0.6 >0.6	A2-s1, d0
	OSSIDATO	Crema-Nero	< 0,1%	>90N/MM2*	0.8	RESIST	5	UA UA ULA	≤175 MM3	R-9	>0.6 >0.6	A2-s1, d0
	URBANO-STUCO	Antracita-Gris-Smoke	< 0,1%	>90N/MM2*	0.8	RESIST	5	UA UA ULA	≤175 MM3	R-10	>0.6 >0.6	A2-s1, d0
	URBANO-CEMENTO	Antracita-Gris-Blanco	< 0,1%	>90N/MM2*	0.8	RESIST	5	UA UA ULA	≤175 MM3	R-9	>0.6 >0.6	A2-s1, d0
	LEGNA	Walnut-Pican	< 0,1%	>90N/MM2*	0.8	RESIST	5	UA UA ULA	≤175 MM3	R-9	>0.6 >0.6	A2-s1, d0
	NATURALE	Marfil A	< 0,1%	>90N/MM2*	0.8	RESIST	5	UA UA ULA	≤175 MM3	R-9	>0.6 >0.6	A2-s1, d0
	ROMANO	Black & White Travertine	< 0,1%	>90N/MM2*	0.8	RESIST	5	UA UA ULA	≤175 MM3	R-9	>0.6 >0.6	A2-s1, d0
	METALLI	Midnight Fusion	< 0,1%	>50N/MM2*	0.7	RESIST	5	UA UA ULA	≤175 MM3	R-9	>0.6 >0.6	A2-s1, d0
5,6 mm	METALLI	Marron-Iron-Corten	< 0,1%	>50N/MM2*	0.7	RESIST	5	UA UA ULA	≤175 MM3	R-9	>0.6 >0.6	A1
	NATURALE	Marfil A	< 0,1%	>50N/MM2*	0.7	RESIST	5	UA UA ULA	≤175 MM3	R-9	>0.6 >0.6	A1
	URBANO-CEMENTO	Antracita-Gris-Blanco	< 0,1%	>50N/MM2*	0.7	RESIST	5	UA UA ULA	≤175 MM3	R-9	>0.6 >0.6	A1
10 mm	METALLI	Corten-Iron	< 0,1%	>50N/MM2*	0.7	RESIST	5	UA UA ULA	≤175 MM3	R-9	>0.6 >0.6	A2-s1, d0
	URBANO-CEMENTO	Antracita-Blanco	< 0,1%	>50N/MM2*	0.7	RESIST	5	UA UA ULA	≤175 MM3	R-9	>0.6 >0.6	A2-s1, d0
12 mm	COLORE	Blanco-Nero										
		(NATURAL)	< 0,1%	>50N/MM2*	0.7	RESIST	5	UA UA ULA	≤175 MM3	R-9	- -	A2-s1, d0
		(POLISHED)	< 0,1%	>50N/MM2*	0.7	RESIST	5	UA UA ULB	≤175 MM3	-	- -	A2-s1, d0
	METALLI	Corten-Iron	< 0,1%	>50N/MM2*	0.7	RESIST	5	UA UA ULA	≤175 MM3	R-9	- -	A2-s1, d0
	URBANO-CEMENTO	Antracita-Blanco	< 0,1%	>50N/MM2*	0.7	RESIST	5	UA UA ULA	≤175 MM3	R-9	- -	A2-s1, d0
	NATURALE	Calcatta										
		(NATURAL)	< 0,1%	>50N/MM2*	0.7	RESIST	5	UA UA ULA	≤175 MM3	R-9	- -	A2-s1, d0
		(POLISHED)	< 0,1%	>50N/MM2*	0.7	RESIST	5	UA UA ULB	≤175 MM3	-	- -	A2-s1, d0
	NATURALE	Statuario A,B & C										
		(NATURAL)	< 0,1%	>50N/MM2*	0.7	RESIST	5	UA UA ULA	≤175 MM3	R-9	- -	A2-s1, d0
		(POLISHED)	< 0,1%	>50N/MM2*	0.7	RESIST	5	UA UA ULB	≤175 MM3	-	- -	A2-s1, d0
	NATURALE	Taurus black										
		(NATURAL)	< 0,1%	>50N/MM2*	0.7	RESIST	5	UA UA ULA	≤175 MM3	R-9	- -	A2-s1, d0
		(POLISHED)	< 0,1%	>50N/MM2*	0.7	RESIST	5	UA UA ULB	≤175 MM3	-	- -	A2-s1, d0
	NATURALE	Vena Oro										
		(NATURAL)	< 0,1%	>50N/MM2*	0.7	RESIST	5	UA UA ULA	≤175 MM3	R-9	- -	A2-s1, d0
		(POLISHED)	< 0,1%	>50N/MM2*	0.7	RESIST	5	UA UA ULB	≤175 MM3	-	- -	A2-s1, d0
	LEGNA	Guanacaste Rustico	< 0,1%	>50N/MM2*	0.7	RESIST	5	UA UA ULA	≤175 MM3	R-9	- -	A2-s1, d0
	ROMANO	Noce travertine	< 0,1%	>50N/MM2*	0.7	RESIST	5	UA UA ULA	≤175 MM3	R-9	- -	A2-s1, d0
	NATURALE	River Wash	< 0,1%	>50N/MM2*	0.7	RESIST	5	UA UA ULA	≤175 MM3	R-9	- -	A2-s1, d0
NATURALE	Jasper Limestone	< 0,1%	>50N/MM2*	0.7	RESIST	5	UA UA ULA	≤175 MM3	R-9	- -	A2-s1, d0	
NATURALE	Pacific Gris	< 0,1%	>50N/MM2*	0.7	RESIST	5	UA UA ULA	≤175 MM3	R-9	- -	A2-s1, d0	
NATURALE	Mid Night Storm	< 0,1%	>50N/MM2*	0.7	RESIST	5	UA UA ULA	≤175 MM3	R-9	- -	A2-s1, d0	

															
COLLECTION	REFERENCE	UNE-EN ISO 10545-3	UNE-EN ISO 10545-4	UNE-EN ISO 10545-5	UNE-EN ISO 10545-9				NORMA DIN 51 - 130	NORMA ASTM-C1028-96 ASTM-C1028-96 FD FW	UNE-EN 13501-1				
6 mm	ARDESIA	Quartzite Gray-Pearl	< 0,1%	>50N/MM2*	0.7	RESIST	5	UA	UA	ULA	≤175 MM3	R-9	>0.6	>0.6	A2-s1, d0
	COLORE	Blanco-Nero													
		(NATURAL)	< 0,1%	>50N/MM2*	0.7	RESIST	5	UA	UA	ULA	≤175 MM3	R-9	>0.6	>0.6	A2-s1, d0
		(POLISHED)	< 0,1%	>50N/MM2*	0.7	RESIST	5	UA	UA	ULB	≤175 MM3	-	-	-	A2-s1, d0
	ESOTICO	Azul Macauba-Mother of pearl Nature's Fury-Wild River													
		(NATURAL)	< 0,1%	>50N/MM2*	0.7	RESIST	5	UA	UA	ULA	≤175 MM3	R-9	>0.6	>0.6	A2-s1, d0
		(POLISHED)	< 0,1%	>50N/MM2*	0.7	RESIST	5	UA	UA	ULB	≤175 MM3	-	-	-	A2-s1, d0
	NATURALE	Bianco Arni													
		(NATURAL)	< 0,1%	>50N/MM2*	0.7	RESIST	5	UA	UA	ULA	≤175 MM3	R-9	>0.6	>0.6	A2-s1, d0
		(POLISHED)	< 0,1%	>50N/MM2*	0.7	RESIST	5	UA	UA	ULB	≤175 MM3	-	-	-	A2-s1, d0
	NATURALE	Calcatta													
		(NATURAL)	< 0,1%	>50N/MM2*	0.7	RESIST	5	UA	UA	ULA	≤175 MM3	R-9	>0.6	>0.6	A2-s1, d0
		(POLISHED)	< 0,1%	>50N/MM2*	0.7	RESIST	5	UA	UA	ULB	≤175 MM3	-	-	-	A2-s1, d0
	NATURALE	Grigio Carnico													
		(NATURAL)	< 0,1%	>50N/MM2*	0.7	RESIST	5	UA	UA	ULA	≤175 MM3	R-9	>0.6	>0.6	A2-s1, d0
		(POLISHED)	< 0,1%	>50N/MM2*	0.7	RESIST	5	UA	UA	ULB	≤175 MM3	-	-	-	A2-s1, d0
	NATURALE	Italian Lace													
		(NATURAL)	< 0,1%	>50N/MM2*	0.7	RESIST	5	UA	UA	ULA	≤175 MM3	R-9	>0.6	>0.6	A2-s1, d0
		(POLISHED)	< 0,1%	>50N/MM2*	0.7	RESIST	5	UA	UA	ULB	≤175 MM3	-	-	-	A2-s1, d0
	NATURALE	Marfil													
		(NATURAL)	< 0,1%	>50N/MM2*	0.7	RESIST	5	UA	UA	ULA	≤175 MM3	R-9	>0.6	>0.6	A2-s1, d0
		(POLISHED)	< 0,1%	>50N/MM2*	0.7	RESIST	5	UA	UA	ULB	≤175 MM3	-	-	-	A2-s1, d0
	NATURALE	Onici Limon-Miel-Sol													
		(NATURAL)	< 0,1%	>50N/MM2*	0.7	RESIST	5	UA	UA	ULA	≤175 MM3	R-9	>0.6	>0.6	A2-s1, d0
		(POLISHED)	< 0,1%	>50N/MM2*	0.7	RESIST	5	UA	UA	ULB	≤175 MM3	-	-	-	A2-s1, d0
	NATURALE	Pulpis													
		(NATURAL)	< 0,1%	>50N/MM2*	0.7	RESIST	5	UA	UA	ULA	≤175 MM3	R-9	>0.6	>0.6	A2-s1, d0
		(POLISHED)	< 0,1%	>50N/MM2*	0.7	RESIST	5	UA	UA	ULB	≤175 MM3	-	-	-	A2-s1, d0
	NATURALE	Statuarieto													
		(NATURAL)	< 0,1%	>50N/MM2*	0.7	RESIST	5	UA	UA	ULA	≤175 MM3	R-9	>0.6	>0.6	A2-s1, d0
	(POLISHED)	< 0,1%	>50N/MM2*	0.7	RESIST	5	UA	UA	ULB	≤175 MM3	-	-	-	A2-s1, d0	
NATURALE	Statuario A,B & C														
	(NATURAL)	< 0,1%	>50N/MM2*	0.7	RESIST	5	UA	UA	ULA	≤175 MM3	R-9	>0.6	>0.6	A2-s1, d0	
	(POLISHED)	< 0,1%	>50N/MM2*	0.7	RESIST	5	UA	UA	ULB	≤175 MM3	-	-	-	A2-s1, d0	
NATURALE	Taurus Black														
	(NATURAL)	< 0,1%	>50N/MM2*	0.7	RESIST	5	UA	UA	ULA	≤175 MM3	R-9	>0.6	>0.6	A2-s1, d0	
	(POLISHED)	< 0,1%	>50N/MM2*	0.7	RESIST	5	UA	UA	ULB	≤175 MM3	-	-	-	A2-s1, d0	

															
COLLECTION	REFERENCE	UNE-EN ISO 10545-3	UNE-EN ISO 10545-4	UNE-EN ISO 10545-5	UNE-EN ISO 10545-9						NORMA DIN 51 - 130	NORMA ASTM-C1028-96 ASTM-C1028-96 FD FW	UNE-EN 13501-1		
6 mm	NATURALE	Vena Oro													
		(NATURAL)	< 0,1%	>50N/MM2*	0.7	RESIST	5	UA	UA	ULA	≤175 MM3	R-9	>0.6	>0.6	A2-s1, d0
		(POLISHED)	< 0,1%	>50N/MM2*	0.7	RESIST	5	UA	UA	ULB	≤175 MM3	-	-	-	A2-s1, d0
	ROMANO	Classic & Navona Travertine	< 0,1%	>50N/MM2*	0.7	RESIST	5	UA	UA	ULA	≤175 MM3	R-9	>0.6	>0.6	A2-s1, d0
	TESSUTO	Textile Linen	< 0,1%	>50N/MM2*	0.7	RESIST	5	UA	UA	ULA	≤175 MM3	R-9	>0.6	>0.6	A2-s1, d0
	URBANO-ORIZZONTE	Gris-Svevo-Fumo-Antracita	< 0,1%	>50N/MM2*	0.7	RESIST	5	UA	UA	ULA	≤175 MM3	R-9	>0.6	>0.6	A2-s1, d0
	URBANO	San Giacomo	< 0,1%	>50N/MM2*	0.7	RESIST	5	UA	UA	ULA	≤175 MM3	R-9	>0.6	>0.6	A2-s1, d0
	URBANO	American Silver	< 0,1%	>50N/MM2*	0.7	RESIST	5	UA	UA	ULA	≤175 MM3	R-9	>0.6	>0.6	A2-s1, d0
	URBANO-CASTROVILLARI	Silver-Sand	< 0,1%	>50N/MM2*	0.7	RESIST	5	UA	UA	ULA	≤175 MM3	R-9	>0.6	>0.6	A2-s1, d0
URBANO-SASSARI	Tan-Pearl-Graphite	< 0,1%	>50N/MM2*	0.7	RESIST	5	UA	UA	ULA	≤175 MM3	R-9	>0.6	>0.6	A2-s1, d0	

## ICONS



Fire Resistant



Resistant to Deep Abrasion



Bending Strength



Chemical resistant



UV Resistant



Freeze Resistant



High Impact Strength



Stain resistant



No Water Absorption



Slip resistant



Chemical and Stain Resistant